


## **Circle theorems**

#### A LEVEL LINKS


Scheme of work: 2b. Circles – equation of a circle, geometric problems on a grid

## **Key points**


 A chord is a straight line joining two points on the circumference of a circle.
 So AB is a chord.




 A tangent is a straight line that touches the circumference of a circle at only one point.
 The angle between a tangent and the radius is 90°.




 Two tangents on a circle that meet at a point outside the circle are equal in length.
 So AC = BC.



• The angle in a semicircle is a right angle. So angle  $ABC = 90^{\circ}$ .




When two angles are subtended by the same arc, the angle at the centre of a circle is twice the angle at the circumference.
 So angle AOB = 2 × angle ACB.









Angles subtended by the same arc at the circumference are equal. This means that angles in the same segment are equal.
 So angle ACB = angle ADB and angle CAD = angle CBD.



• A cyclic quadrilateral is a quadrilateral with all four vertices on the circumference of a circle. Opposite angles in a cyclic quadrilateral total  $180^{\circ}$ . So  $x + y = 180^{\circ}$  and  $p + q = 180^{\circ}$ .




• The angle between a tangent and chord is equal to the angle in the alternate segment, this is known as the alternate segment theorem. So angle BAT = angle ACB.



### **Examples**

Example 1

Work out the size of each angle marked with a letter. Give reasons for your answers.



Angle 
$$a = 360^{\circ} - 92^{\circ}$$
  
= 268°

as the angles in a full turn total  $360^{\circ}$ .

Angle 
$$b = 268^{\circ} \div 2$$
  
= 134°

as when two angles are subtended by the same arc, the angle at the centre of a circle is twice the angle at the circumference.


1 The angles in a full turn total  $360^{\circ}$ .

2 Angles a and b are subtended by the same arc, so angle b is half of angle a.





# Example 2 Work out the size of the angles in the triangle. Give reasons for your answers.




Angles are  $90^{\circ}$ , 2c and c.

$$90^{\circ} + 2c + c = 180^{\circ}$$
  
 $90^{\circ} + 3c = 180^{\circ}$   
 $3c = 90^{\circ}$   
 $c = 30^{\circ}$   
 $2c = 60^{\circ}$ 

The angles are 30°, 60° and 90° as the angle in a semi-circle is a right angle and the angles in a triangle total 180°.

- 1 The angle in a semicircle is a right angle.
- 2 Angles in a triangle total 180°.
- 3 Simplify and solve the equation.


**Example 3** Work out the size of each angle marked with a letter. Give reasons for your answers.



Angle  $d = 55^{\circ}$  as angles subtended by the same arc are equal.

Angle  $e = 28^{\circ}$  as angles subtended by the same arc are equal.

- Angles subtended by the same arc are equal so angle  $55^{\circ}$  and angle d are equal.
- 2 Angles subtended by the same arc are equal so angle  $28^{\circ}$  and angle e are equal.
- **Example 4** Work out the size of each angle marked with a letter. Give reasons for your answers.



Angle 
$$f = 180^{\circ} - 94^{\circ}$$
  
= 86°  
as opposite angles in a cyclic  
quadrilateral total 180°.

Opposite angles in a cyclic quadrilateral total 180° so angle 94° and angle f total 180°.

(continued on next page)






Angle 
$$g = 180^{\circ} - 86^{\circ}$$
  
= 84°

as angles on a straight line total 180°.

Angle  $h = \text{angle } f = 86^{\circ}$  as angles subtended by the same arc are equal.

- 2 Angles on a straight line total  $180^{\circ}$  so angle f and angle g total  $180^{\circ}$ .
- **3** Angles subtended by the same arc are equal so angle *f* and angle *h* are equal.

# **Example 5** Work out the size of each angle marked with a letter. Give reasons for your answers.




Angle  $i = 53^{\circ}$  because of the alternate segment theorem.

Angle  $j = 53^{\circ}$  because it is the alternate angle to  $53^{\circ}$ .

Angle 
$$k = 180^{\circ} - 53^{\circ} - 53^{\circ}$$
  
= 74°

as angles in a triangle total 180°.

- 1 The angle between a tangent and chord is equal to the angle in the alternate segment.
- 2 As there are two parallel lines, angle  $53^{\circ}$  is equal to angle *j* because they are alternate angles.
- 3 The angles in a triangle total 180°, so i + j + k = 180°.
- Example 6 XZ and YZ are two tangents to a circle with centre O. Prove that triangles XZO and YZO are congruent.



Angle OXZ =  $90^{\circ}$  and angle OYZ =  $90^{\circ}$  as the angles in a semicircle are right angles.

OZ is a common line and is the hypotenuse in both triangles.

OX = OY as they are radii of the same circle.

So triangles XZO and YZO are congruent, RHS.

For two triangles to be congruent you need to show one of the following.

- All three corresponding sides are equal (SSS).
- Two corresponding sides and the included angle are equal (SAS).
- One side and two corresponding angles are equal (ASA).
- A right angle, hypotenuse and a shorter side are equal (RHS).







## **Practice**

1 Work out the size of each angle marked with a letter. Give reasons for your answers.


a




b




c



d




e




Work out the size of each angle marked with a letter. Give reasons for your answers.

a




b








c



#### Hint

The reflex angle at point O and angle g are subtended by the same arc. So the reflex angle is twice the size of angle g.

d




#### Hint


Angle  $18^{\circ}$  and angle h are subtended by the same arc.

Work out the size of each angle marked with a letter. Give reasons for your answers.

a




b




Hint

One of the angles is in a semicircle.

 $\mathbf{c}$ 



d








Work out the size of each angle marked with a letter. Give reasons for your answers.


a




#### Hint

An exterior angle of a cyclic quadrilateral is equal to the opposite interior angle.


b



c



d



#### Hint

One of the angles is in a semicircle.

## **Extend**

5 Prove the alternate segment theorem.





#### **Answers**

- 1 **a**  $a = 112^{\circ}$ , angle OAP = angle OBP =  $90^{\circ}$  and angles in a quadrilateral total  $360^{\circ}$ .
  - **b**  $b = 66^{\circ}$ , triangle OAB is isosceles, Angle OAP =  $90^{\circ}$  as AP is tangent to the circle.
  - $c = 126^{\circ}$ , triangle OAB is isosceles.
    - $d = 63^{\circ}$ , Angle OBP =  $90^{\circ}$  as BP is tangent to the circle.
  - **d**  $e = 44^{\circ}$ , the triangle is isosceles, so angles e and angle OBA are equal. The angle OBP =  $90^{\circ}$  as BP is tangent to the circle.
    - $f = 92^{\circ}$ , the triangle is isosceles.
  - e  $g = 62^{\circ}$ , triangle ABP is isosceles as AP and BP are both tangents to the circle.
    - $h = 28^{\circ}$ , the angle OBP = 90°.
- **2 a**  $a = 130^{\circ}$ , angles in a full turn total 360°.
  - $b = 65^{\circ}$ , the angle at the centre of a circle is twice the angle at the circumference.
  - $c = 115^{\circ}$ , opposite angles in a cyclic quadrilateral total 180°.
  - **b**  $d = 36^{\circ}$ , isosceles triangle.
    - $e = 108^{\circ}$ , angles in a triangle total 180°.
    - $f = 54^{\circ}$ , angle in a semicircle is 90°.
  - c  $g = 127^{\circ}$ , angles at a full turn total 360°, the angle at the centre of a circle is twice the angle at the circumference.
  - **d**  $h = 36^{\circ}$ , the angle at the centre of a circle is twice the angle at the circumference.
- 3 **a**  $a = 25^{\circ}$ , angles in the same segment are equal.
  - $b = 45^{\circ}$ , angles in the same segment are equal.
  - **b**  $c = 44^{\circ}$ , angles in the same segment are equal.
    - $d = 46^{\circ}$ , the angle in a semicircle is 90° and the angles in a triangle total 180°.
  - $e = 48^{\circ}$ , the angle at the centre of a circle is twice the angle at the circumference.
    - $f = 48^{\circ}$ , angles in the same segment are equal.
  - **d**  $g = 100^{\circ}$ , angles at a full turn total 360°, the angle at the centre of a circle is twice the angle at the circumference.
    - $h = 100^{\circ}$ , angles in the same segment are equal.
- **4 a**  $a = 75^{\circ}$ , opposite angles in a cyclic quadrilateral total 180°.
  - $b = 105^{\circ}$ , angles on a straight line total 180°.
  - $c = 94^{\circ}$ , opposite angles in a cyclic quadrilateral total 180°.
  - **b**  $d = 92^{\circ}$ , opposite angles in a cyclic quadrilateral total 180°.
    - $e = 88^{\circ}$ , angles on a straight line total 180°.
    - $f = 92^{\circ}$ , angles in the same segment are equal.
  - c  $h = 80^{\circ}$ , alternate segment theorem.
  - **d**  $g = 35^{\circ}$ , alternate segment theorem and the angle in a semicircle is 90°.





#### 5 Angle BAT = x.

Angle OAB =  $90^{\circ} - x$  because the angle between the tangent and the radius is  $90^{\circ}$ .

OA = OB because radii are equal.

Angle OAB = angle OBA because the base of isosceles triangles are equal.

Angle AOB = 
$$180^{\circ} - (90^{\circ} - x) - (90^{\circ} - x) = 2x$$
  
because angles in a triangle total  $180^{\circ}$ .

Angle ACB =  $2x \div 2 = x$  because the angle at the centre is twice the angle at the circumference.

